

**TECHNICAL LED INTELLECTUAL
PROPERTY, LLC,**
a Delaware limited liability company,

Plaintiff,

v.

**SHENZHEN GOSUND TECHNOLOGY
CO., LTD, d/b/a GOSUND.**

Defendant.

EXHIBIT B

to

COMPLAINT

FOR




PATENT INFRINGEMENT




Claim Chart




U.S. Patent No. RE41,685 (selected claims)


vs

Gosund Smart WiFi LED Light Bulb A19 800Lm Multi-Color Bulb

<p>US Patent No. RE41,685</p>		<p>Gosund Smart WiFi LED Light Bulb A19 800Lm Multi- Color Bulb</p>
<p>10. A light source</p>		<p>The Gosund Smart WiFi LED Light Bulb A19 800Lm Multi-Color is a light source.</p>
<p>comprising: an optical cavity;</p>		<p>The opaque plastic dome creates an optical cavity.</p>
<p>a plurality of first light-emitting diodes each of which is a phosphor light- emitting diode that emits white light,</p>		<p>The bulb has 21 white LEDs.</p> <p>Each white LED is a phosphor LED that emits white light.</p>

<p><i>each first light-emitting diode comprising a diode encased in a light-transmitting package;</i></p>		<p>Each first LED is encased in a light trasmitting package.</p>
<p><i>a plurality of second light-emitting diodes each of which emits non-white light, each second light-emitting diode comprising a diode encased in a light-transmitting package;</i></p>		<p>Each bulb has 7 non-white RGB LEDs.</p> <p>Each non-white RGB LED is encased in a light transmitting package.</p>
<p><i>wherein the first and second light-emitting diodes are arranged to emit light into the optical cavity such that mixing of spectral outputs from the first and second light-emitting diodes occurs in the optical cavity.</i></p>		<p>The white, red, green, and blue LEDs are arranged to mix light spectral outputs within the optical cavity.</p>

<p>11. A light source of claim 10, further comprising at least one third light-emitting diode having a spectral output different from those of the first and second light-emitting diodes.</p>		<p>Each bulb has a third LED (blue) that has a spectral output different than the first (white) and second (red) LED's.</p>
<p>12. A light source of claim 11, wherein the spectral output of the second light-emitting diodes is a red output.</p>		<p>Each bulb has a second non-white (red) LED encased in a light transmitting package.</p>
<p>13. A light source of claim 11, wherein the spectral output 65 of the third light-emitting diode is a green output.</p>		<p>Each bulb has a third (green) LED encased in a light transmitting package.</p>

<p>14. A light source of claim 13, further comprising at least one fourth light-emitting diode having a blue output.</p>		<p>Each bulb has a fourth (blue) LED encased in a light transmitting package.</p>
--	--	---